



Rif.: MD01PG10-05

To: **VILLA BORGHINI EUROPA s.r.l.**  
 Via Molinara, 115-115/B  
 52040 - Tegoletto Arezzo  
 Italy

**TEST REPORT n° 9910**

**date of issue 06-11-2015**

|                       |          |     |            |                    |  |     |            |
|-----------------------|----------|-----|------------|--------------------|--|-----|------------|
| Sample                | Cosmetic |     |            | Form and reference | VB® Easy Straight Shampoo<br>Batch n.2191E |     |            |
| Sampling by           | Client   |     |            | Report of sampling | 215  | day | 19/10/2015 |
| Identification number | 4297-06  | day | 28/10/2015 | Date of test       | 28/10/2015                                 | --  | 06/11/2015 |

Sampling mode: We accept no responsibility for sampling by client

**ANALYTICAL RESULTS**

| Test Method   | Parameters           | Units       | Results (a)    | Uncertainty (#) |
|---|----------------------|-------------|----------------|-----------------|
| M.I. M53-00*  | Colony-count at 30°C | CFU/g       | absence        |                 |
| Rapp. ISTISAN 96/35 Met.2*  | Moulds               | CFU/g       | absence        |                 |
| Rapp. ISTISAN 96/35 Met.2*  | Yeasts               | CFU/g       | absence        |                 |
| UNI 26008:1995*   | pH                   | pH          | 4,97           |                 |
| UNI 26003:1995*   | Density              | g/ml        | 1,028          |                 |
| M.I.01 Viscotester*   | Viscosity            | mPA.s       | 80             |                 |
| M.I.02 Organoleptic*  | Appearance           | Description | Clear tensiol  |                 |
| M.I.02 Organoleptic*  | Color                | Description | Light yellow   |                 |
| M.I.02 Organoleptic*  | Fragrance            | Description | Fragrance free |                 |
| <b>Annotation</b>   |                      |             |                |                 |
| < Concentration below the indicated limit of quantification LOQ - # extended uncertainty probability 95 %, k=2: is written only when required by method or client |                      |             |                |                 |
| The results of examination refer exclusively to the checked samples.  |                      |             |                |                 |

(a) **The Results are expressed as:** mean value of two assay samples

Analyst

Laboratory Director  
 Dott. Roberto Renzetti



Duplicates - even in parts - of the report shall not be reproduced without written approval of Laboratorio Cierre